




Rely on it.

RENOLIT ALKORPLAN TOUCH/CERAMICS/2000/3000

Reinforced pool membrane for on site lining

www.renolit.com/swimmingpool
www.alkorplan.info



Make your
swimming pool
fashionable

If you want an attractive pool that will give you no problems, RENOLIT ALKORPLAN reinforced liner is the perfect product to achieve this

Reinforced membranes are the most widely-used pool liners in the world

We offer you the pool of your dreams



GUARANTEE
WATERTIGHTNESS

10 YEARS



With RENOLIT ALKORPLAN this won't happen ...!

Minimum maintenance... and very easy to clean!

No more detached mosaic tiles.
No more black joints.
No more flaking paintwork.

No matter what your garden looks like RENOLIT ALKORPLAN allows you to create an unique, customised area just for you.


RENOLIT ALKORPLAN is the only reinforced liner that can guarantee the waterproofing of your pool, regardless of its location.

GUARANTEE
WATERTIGHTNESS
10 YEARS

RENOLIT ALKORPLAN allows you to enjoy your pool in peace, without worrying about leaks.



How many reinforced pool liners are able to overcome this test?




Compatible with almost any material!



RENOLIT ALKORPLAN is the perfect liner for rooftop pools, basement pools or in any place where there are cracks or micro pores that could cause damp, water leaks or flooding.

The perfect
solution for
large pools

The ideal lining
for both commercial
and residential
pools



Many hotel pools, Olympic pools or aquatic park pools in Europe have **RENOLIT ALKORPLAN** liners installed in them, as apart from requiring minimum maintenance, they guarantee complete water-tightness and it is possible to install them in half the time it takes to install other systems.

- It can be installed on any surface.
- Clean installation, with no noise and in half the time it takes to install other liners.
- It requires practically no maintenance.
- No matter the size and shape of the pool.

Although the installation of RENOLIT ALKORPLAN is fast and easy, it should always be installed by qualified professionals to ensure a completely watertight finish.

If you have any questions or need more information, please contact us at www.alkorplan.info





**Fast
renovation!**

in just **4** days

Pools
10 x 5 m

in just **7** days

Pools
15 x 12.5 m

For all pool sizes and shapes!

Only RENOLIT ALKORPLAN
is marked on the back ...
Check it!



Reinforced membrane ranges for all tastes ...

PREMIUM Range

RENOLIT ALKORPLAN
TOUCH

New 2021

	Authentic	Relax	Elegance
1,65 m	35517402	35517401	35517501

New 2021

	Vanity	Sublime	Prestige	Origin
1,65 m	35517409	35517407	35517403	355174413

THICKNESS 2mm | GUARANTEE 10 years WATER TIGHTNESS | SLIP RESISTANCE Category C

2 mm reinforced laminate, printed and with relief, inspired by nature to give character and personality to swimming pools.

RENOLIT ALKORPLAN
CERAMICS

New 2021

	Selene	Etna
1,65 m	35617203	35617204

	Sofia	Atenea
1,65 m	35617201	35617202

THICKNESS 2mm | SLIP RESISTANCE Category C | GUARANTEE 10 years WATER TIGHTNESS

2 mm laminate, printed and embossed, inspired in the mosaics of classical Greece.

STANDARD Range

RENOLIT ALKORPLAN2000

	White	Sand	Light Blue	Adriatic Blue
1.65 m	35216202	35216210	35216205	35216203
2.05 m	35216201	35216211	35216208	35216207
1.65 m Non-Slip	81116501	81116505	81116504	81116502

	Caribbean Green	Light Grey	Dark Grey
1.65 m	35216204	35216236	35216327
2.05 m	35216206	35216233	35216326
1.65 m Non-Slip	81116203	81116506	81122607

Lacquered 1.5 mm single colour reinforced laminate, with highly resistant pigments and durable plasticisers designed to last in a swimming pool.

GUARANTEE WATER TIGHTNESS 10 YEARS | SAFETY FOR TOYS EN71-3 100% SAFE

Non-Slip finish

RENOLIT ALKORPLAN3000

	Persia Blue	Persia Sand	Bysance Blue
1.65 m	35417217	35417220	35417209
1.65 m Non-Slip	81122317		

	Carrara	Marble	Platinum
1.65 m	35417214	35417213	35417402

Double-lacquered printed 1.5 mm reinforced laminate available in exclusive designs to decorate at the same time as waterproof.

GUARANTEE WATER TIGHTNESS 10 YEARS | *Non-Slip finish*

PREMIUM Range

RENOLIT ALKORPLAN TOUCH

Reinforced liner with exclusive 3D designs and prints, inspired by nature.

RENOLIT ALKORPLAN TOUCH reinforced membrane reproduces natural textures and gives personality and character to pool linings, making them unique and original.

It's the pool liner revolution!

Elegance

RENOLIT ALKORPLAN TOUCH

Are you aware of
RENOLIT ALKORPLAN TOUCH?



The reinforced membrane RENOLIT ALKORPLAN TOUCH fulfills the two fundamental objectives of a swimming pool:

- 1 Assure a completely watertight structure.
- 2 The most beautiful finish possible.

The reinforced membrane is the most visible element and will make your pool absolutely unique and exclusive.

RENOLIT ALKORPLAN TOUCH protects your garden and home against possible flooding by pool water. Even if the substructure is cracked, the water will always remain where it should be ... in the pool.

In addition, the relief designs of RENOLIT ALKORPLAN TOUCH give character to any pool and allow you to create a unique and individual space in your garden.

RENOLIT ALKORPLAN TOUCH



Reinforced liner with exclusive 3D designs and prints, inspired by nature

You will turn your home into a haven of design and character

RENOLIT ALKORPLAN TOUCH is the first reinforced membrane with a heavily riven stone finish. At 2mm thick it is the strongest and most resistant liner in the market. The imaginative design of the liner makes it the most appropriate element for adding a personal note to your pool and making your home a unique place. The TOUCH liners emulate nature through adding a simulated stone finish to exotic baths, adding personality and singularity to the pools in which they are used, making each pool unique.

You will have a unique and exclusive pool!



RENOLIT ALKORPLAN TOUCH Origin

New
2021




RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Origin	1,65 m	2 mm	35517413



*Elegant and timeless – delicate texture – metallic hints.
Inspired by one of the most noble stones in nature: granite.*

RENOLIT ALKORPLAN TOUCH Vanity




RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Vanity	1.65 m	2 mm	35517409



Spectacular, ostentatious white Marble Swimming Pools that will be the Pride of the Owners.

RENOLIT ALKORPLAN TOUCH Sublime



RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Sublime	1.65 m	2 mm	35517407



Imitative of travertine limestone that creates pools with warm reflections ideal for exclusive and naturalist settings.

RENOLIT ALKORPLAN TOUCH Prestige





RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Prestige	1.65 m	2 mm	35517403



A liner that creates a pool which invokes a volcanic rock paradise, conceived for designer and minimalist settings.

RENOLIT ALKORPLAN TOUCH Elegance New 2021



	RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.	
	Elegance	1.65 m	2 mm	35517501	

Luxurious, seductive, unique pools in deep blue tones that will captivate you at first sight and turn your home into an elegant palace.

RENOLIT ALKORPLAN TOUCH Relax



RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.	
Relax	1.65 m	2 mm	35517401	

Sensual, exotic pools with golden sand and brilliant turquoise reflections, that will take you to the remote beaches of the Caribbean.

RENOLIT ALKORPLAN TOUCH Authentic



RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Authentic	1.65 m	2 mm	35517402



Rustic pools with exquisite stone textures, creating different tones in the water, brilliant and colourful, perfect for natural settings or country gardens.

No detached tiles or crumbling grouting!!

Ideal for new pools and for renovations!

It is installed over the existing substrate in half of the time than other linings.

It guarantees the watertightness for 10 years with minimal maintenance!



RENOLIT ALKORPLAN CERAMICS




It looks like... but isn't!

RENOLIT ALKORPLAN CERAMICS, a 2mm embossed pool liner for swimming pools with the aesthetic appeal and texture of the mosaic tiled designs of Greek Myths.

With the most careful aesthetics and with many advantages over any existing pool liner in the market:

- 1 Guaranteed watertight.
- 2 Quick and easy installation compared to glass mosaic tiling.
- 3 No fallen tiles or crumbling grout.
- 4 Minimum maintenance.
- 5 The 2mm thickness creates a more durable and resilient membrane.
- 6 Easy to weld with an immaculate finish.



Selene

RENOLIT ALKORPLAN CERAMICS	Width	Thickness	Ref.
Selene	1.65 m	2 mm	35617203


Selene, moon white, will captivate those who contemplate its celestial waters as the colour of the sky on a summer day.



Etna

RENOLIT ALKORPLAN CERAMICS	Width	Thickness	Ref.
Etna	1.65 m	2 mm	35617204


With sober and elegant nuances, Etna makes the pools spectacular and formidable.



Sofia

RENOLIT ALKORPLAN CERAMICS	Width	Thickness	Ref.
Sofia	1.65 m	2 mm	35617201

*Of a totally new colour in the world of swimming pools,
it offers a delicate and subtle turquoise spectacle.*



Atenea			
RENOLIT ALKORPLAN CERAMICS	Width	Thickness	Ref.
Atenea	1.65 m	2 mm	35617202

*Of an intense blue, so warm, so deep and so ours.
Atenea gives the water a shine and a unique hue.*

RENOLIT ALKORPLAN2000 White



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
White	1.65 m	1.5 mm	35216202
White	2.05 m	1.5 mm	35216201
White Non-Slip	1.65 m	1.8 mm	81116501

Pools that are crystal clear, luminous, fresh, and always elegant, to allow you to enjoy the sun and the summer.

RENOLIT ALKORPLAN2000 Sand



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Sand	1.65 m	1.5 mm	35216210
Sand	2.05 m	1.5 mm	35216211
Sand Non-Slip	1.65 m	1.8 mm	81116505

*Relax in your crystal clear, lukewarm pool
as if you were on an exotic, remote, tropical beach.*

RENOLIT ALKORPLAN2000 Light Blue



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Light Blue	1.65 m	1.5 mm	35216205
Light Blue	2.05 m	1.5 mm	35216208
Light Blue Non-Slip	1.65 m	1.8 mm	81116504

*Eternal pools filled with light, colour and joy
in which to enjoy memorable moments.*

RENOLIT ALKORPLAN2000 Adriatic Blue



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Adriatic Blue	1.65 m	1.5 mm	35216203
Adriatic Blue	2.05 m	1.5 mm	35216207
Adriatic Blue Non-Slip	1.65 m	1.8 mm	81116502

The deep blue of the Mediterranean in colourful, effervescent pools for making the most of the summer.


RENOLIT ALKORPLAN2000 Caribbean Green



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Caribbean Green	1.65 m	1.5 mm	35216204
Caribbean Green	2.05 m	1.5 mm	35216206
Caribbean Green Non-Slip	1.65 m	1.8 mm	81116203

Exotic pools, with crystal clear Caribbean like waters that invite you to break with routine and stress.


RENOLIT ALKORPLAN2000 Light Grey



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Light Grey	1.65 m	1.5 mm	35216236
Light Grey	2.05 m	1.5 mm	35216233
Light Grey Non-Slip	1.65 m	1.8 mm	81116506

Cosmopolitan minimalist and extremely beautiful pools that will never go out of fashion.

RENOLIT ALKORPLAN2000 Dark Grey



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Dark Grey	1.65 m	1.5 mm	35216327
Dark Grey	2.05 m	1.5 mm	35216326
Dark Grey Non-Slip	1.65 m	1.8 mm	81122607

*Elegant, sensual and eternal pools
that will add a note of prestige and beauty to your garden.*

RENOLIT ALKORPLAN3000 Persia Blue



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Persia Blue	1.65 m	1.5 mm	35417217
Persia Blue Non-Slip	1.65 m	1.8 mm	81122317

*Classic pools that always look good
are always the best choice.*

RENOLIT ALKORPLAN3000 Persia Sand




RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Persia Sand	1.65 m	1.5 mm	35417220



Pools with soft, elegant colours that give off light and harmony, making bathing a treat for the senses.

RENOLIT ALKORPLAN3000 Bysance Blue



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Bysance Blue	1.65 m	1.5 mm	35417209

Elegant, distinguished pools that invite you to bathe in them, transmit wellbeing and never go out of fashion.

RENOLIT ALKORPLAN3000 Carrara



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Carrara	1.65 m	1.5 mm	35417214




Happy pools with bluish tones and elegant prints, perfect for pool shells with irregular shapes or those with flaws.

RENOLIT ALKORPLAN3000 Marble



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Marble	1.65 m	1.5 mm	35417213



Deep blue pools with spectacular glints that attract all gazes, making bathing a pleasure.

RENOLIT ALKORPLAN3000 Platinum




RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Platinum	1.65 m	1.5 mm	35417402

Pools with modern, spectacular designs, with brilliant glints, that will be the most prized jewel in your garden.

Butt welding

RENOLIT recommends to practice the Butt Welding on the pool floor on TOUCH and CERAMICS membranes for an impeccable finish of your pool.
Aesthetically, especially in swimming pools made with RENOLIT ALKORPLAN TOUCH or RENOLIT ALKORPLAN CERAMICS membranes with Butt welding in the pool floor, the welds become practically invisible.



DAYTIME

Swimming pool without Butt welding nor geotextile.

By day and with moving water, the welds cannot be seen.



NIGHT

Swimming pool without Butt welding nor geotextile.

If this swimming pool had been installed with the butt welding system, the joints of the pool floor would have remained invisible.

NOT ALL
GEOTEXTILES ARE
THE SAME!!

NOT ALL GEOTEXTILES ARE THE SAME!!

RENOLIT ALKORPLUS geotextile is made of blue polypropylene, which is rot-proof, and always marked with the RENOLIT ALKORPLUS brand.

Advantages:

- 1 The fungicide treatment prevents the proliferation of bacteria under the membrane.
- 2 The geotextile disguises any small imperfection that may exist in the structure of the substrate under the membrane.
- 3 Adds a much more comfortable feel for the bather.
- 4 Helps to maintain the temperature of the pool water.
- 5 Plays a key role in the butt welding system.

The
RENOLIT ALKORPLAN
geotextile is one of the
essential elements for the
butt welding.



RENOLIT ALKORPLAN geotextile is an exclusive RENOLIT fungicide felt that is installed under the membrane to protect it from any irregularities that the surface of the pool may have and make the bathers steps more comfortable.

Reference	Width (m)
81006005	1.50 *
81006006	1.65
81006007	2.00

*Specific for butt welding.

Advice for conserving your RENOLIT ALKORPLAN liner



Carry out a daily test to ensure the the chlorine level is 1ppm and that the pH is between 7.0-7.6

If you disinfect your swimming pool with chlorine or with a salt electrolysis machine it is essential than the level of the chlorine is 1ppm and the pH level is between 7.0 and 7.6.

If you disinfect with bromide the level should be 1ppm and the pH level between 7 and 8. Excessive use of bromide can cause the liner to become brown in colour.




If the pool has a salt chlorinator you must add stabilizer at the beginning of the season

The chlorine generated by the saline electro chlorinator is stronger than normal chlorine.

To dilute add 30ppm of a isocyanuric acid stabilizer at the beginning of the swimming pool season and check daily that level of chlorine at 1ppm and the pH between 7.0 and 7.6.

If your saline electro chlorinator does not have a RedOx chlorine controller you should use a measuring guage. Even if your pool is equipped with an automatic Redox control it is necessary to manually check the chlorine on a very regular basis (daily).

This prevents the chlorinator producing more chlorine than necessary, which could bleach the liner and irritate eyes.



It is necessary that the TA level is maintained between 100 and 175ppm

TA (total alkalinity) represents the water's capacity for neutralising acids. A balanced TA level keeps pH from fluctuating and getting out of control. A TA level under 100 ppm turns water corrosive. Damage to the liner would be irreversible.

We recommend checking the PA level weekly or after rainfall.



Protect your swimming pool in summer and winter and do not empty it

Swimming pools are built to be full of water. They should not be left empty for long periods of time.

In the summer keep the water level constant.


In winter protect skimmers and filter systems against frost. Ask a pool specialist for the best winter treatment to keep the water in perfect condition the following season. Above all cover the swimming pool in winter.



Water from wells, or of unknown origin should be analysed and, if necessary, treated before it is used to fill or top up the pool

If the water does not come for the mains supply or from a guaranteed tanker it is very probable that the water will contain diluted metals such as iron, copper or magnesium.

These minerals can react with the chemical products and produce stains on the liner. If this happens ask a specialist to carry out a treatment with **RENOLIT ALKORPLUS Antistain**.



No chemical products should come into direct contact with the liner

The correct and safest way of introducing any chemical product into the swimming pool is by using the skimmer with the circulation pump working.

If it is powder, granules or liquid and it is required to be put directly into the swimming pool, it must be diluted before in a bucket of water, and poured into different areas of the swimming pool. The circulation pump must always be in use to prevent concentration of a product in one area.

Avoid the use of floating dispensers because they can spend too much time in the same position and can bleach the liner.



Do not use chemical products which contain copper

Always read the level of the composition of the chemical products that you use, especially those for algae.

Some anti-algae products contain copper sulphate, these should be avoided.

Use anti- algae with a quaternary ammonia base. These are the best products for your hair and your skin. If by accident you have used a product containing copper, you should apply **RENOLIT ALKORPLUS Antistain**.



Avoid a build up of dirt and calcareous deposits on the waterline

The lacquer that protects the **RENOLIT ALKORPLAN** laminate will repel dirt; however, low maintenance and high bathing loads will accelerate the build up of waterline deposits.

Regular cleaning of the waterline with **RENOLIT ALKORCLEAN** applied with a sponge or cloth will prevent the build up of grease and scale and avoid permanent staining.



Never use abrasive tools or aggressive cleaning products

Do not use aggressive chemical products or cleaning equipment, such as solvents; brushes with wire or stiff bristles; and abrasive pads or cloths that will damage the membrane. The liner is coated with a protective lacquer which is stain and dirt resistant, however it may be damaged if cleaned with abrasive materials or solvents.

RENOLIT ALKORCLEAN is an ideal and efficient cleaner for your liner. It may be ordered though your Swimming Pool Specialist.



RENOLIT Belgium N.V.
Industriepark De Bruwaan 43
9700 Oudenaarde – Belgium
Phone: +32 55 33 98 14
Fax: +32 55 31 86 58
e-mail: renolit.belgium@renolit.com

RENOLIT Nordic A/S
Naverland 31
2600 Glostrup – Denmark
Phone: +45 43 64 46 33
Fax: +45 43 64 46 38
e-mail: renolit.nordic@renolit.com

RENOLIT France SASU
Roissypôle – Le Dôme
5 rue de la Haye – BP 10943
95733 Roissy CDG Cedex – France
Phone: +33 141 84 30 26
Fax: +33 149 47 07 39
e-mail: renolitfrance-piscine@renolit.com

RENOLIT SE, Germany
Horchheimer Str. 50
67547 Worms
Phone: +49 6241 268039-0
e-mail: schwimmbad@renolit.com

RENOLIT Magyarország Kft.
Hegyalja út 7-13
1016 Budapest – Hungary
Phone: +36 1 457 81 64
Fax: +36 1 457 81 60
e-mail: renolit.hungary@renolit.com

OOO RENOLIT-Rus, Russia
BP "Rumyantsevo" block V, office 414 V
Kievskoye shosse 22 km, pos. Moskovskiy, h.4, bld. 2
108811 Moscow
Phone: +7 495 995 1615
Fax: +7 495 995 1614
e-mail: info@renolit.ru

RENOLIT ISTANBUL
Ağaoğlu My Office İş Merkezi
Barbaros Mah. Çiğdem Sok. No:1
Kat: 5 Daire: 24 34746 Ataşehir İstanbul
Office: +90 216 688 42 90/91/92
Fax: +90 216 688 42 93
e-mail: burak.karaagac@renolit.com

RENOLIT Italia srl
Via Uruguay 85
35127 Padova – Italy
Phone: +39 049 099 47 22
Fax: +39 049 870 05 50
e-mail: renolit.italia@renolit.com

RENOLIT Polska sp. z o.o.
ul. Szeligowska 46 – Szeligi
05-850 Ożarów Mazowiecki – Poland
Phone: +48 22 722 30 87
Fax: +48 22 722 47 20
e-mail: renolit.polska@renolit.com

RENOLIT Portugal, unipessoal, Lda.
Parque Industrial dos Salgados da Póvoa Apartado 101
2626-909 Póvoa de Santa Iria – Portugal
Phone: +351 219 568 306
Fax: +351 219 568 315
e-mail: renolit.portugal@renolit.com

RENOLIT Ibérica, S.A.
(SPAIN & EXPORT)
Ctra. del Montnegre, s/n
08470 Sant Celoni (Barcelona) – Spain
Phone: SPAIN: +34 93 848 42 08
Phone: ExPORT: +34 938 48 42 40
Fax: +34 93 867 55 17
e-mail: piscinas@renolit.com

RENOLIT Ibérica, S.A.
(Andalucía)
Calle Progreso nº 8
11130 Chiclana de la Frontera (Cádiz) – Spain
Phone: +34 956 71 19 39
e-mail: piscinas@renolit.com

UK sales RENOLIT Ibérica s.A.
c/o G.G. Tomkinson Ltd.
The Willows, Pattenden Lane
Marden, Kent TN12 9QJ – UK
Phone: +44 7387 158288
e-mail: Jb@jbinlimbo.co.uk

RENOLIT India PVT.LTD.
9, Vatika Business Centre, Vatika Atrium, III Floor,
Block-B, Sector 53, Golf Course Road,
Gurgaon 122002 – India
Phone : + 91 124 4311267
Fax : + 91 124 4311100
e-mail: alok.marwaha@renolit.com

This document substitutes and annuls any other that has been previously published on the same subject.

The colours shown in this catalogue can vary from the original.

RENOLIT reserves the right to change colours and designs.

www.renolit.com/swimmingpool
www.alkorplan.info
www.renolit-alkorplan-touch.com

